

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	6056	(monitor\$3 or detect\$3 or check\$3 or sens\$3 or determin\$5) near6 (power adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:42
L4	960	3 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:58
L5	674	3 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:13
L6	378	4 same (on or off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:14
L7	175	5 with (on or off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:14
L8	12	6 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:43
L9	1	7 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:14
L10	5	4 and 713/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:26
L11	4	5 and 713/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:26

## EAST Search History

L12	31	4 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:28
L13	22	5 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:33
L14	1	3 same (power adj sequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:34
L15	25	3 same (power near2 sequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:43
L16	9	3 with (power near2 sequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:34
L17	6340	(monitor\$3 or detect\$3 or check\$3 or sens\$3 or determin\$5) near6 (power adj (switch or button))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:42
L18	33	17 same (power near2 sequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:44
L19	11	17 with (power near2 sequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:43
L20	4	18 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:03
L21	0	19 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 08:43

## EAST Search History

L22	247	17 same delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:03
L23	107	17 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:03
L24	30	22.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:35
L25	24	23.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:04
L26	2874	delay\$3 near6 ((power near2 (appl\$7 or ((tunr\$3 or switch\$3) adj (up or on)) or (up or on))) or (power\$3 adj (up or on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:54
L27	5	26 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:42
L28	4	26 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:41
L29	3038	delay\$3 near6 ((power near2 (appl\$7 or ((tunr\$3 or switch\$3) adj (down or off)) or (down or off))) or (power\$3 adj (down or off)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:42
L30	13	29 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:57
L31	12	29 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:57

## EAST Search History

L33	282641	((power near2 (star\$3 or initiat\$3 or establish\$3 or appl\$7 or ((tunr\$3 or switch\$3) adj (up or on)) or (up or on))) or (power\$3 adj (up or on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:39
L34	17745	33 same (delay\$1 or ((predetermin\$3 or (pre adj determin\$3) or fixed or variable) near3 (time or period\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:04
L35	8639	33 with (delay\$1 or ((predetermin\$3 or (pre adj determin\$3) or fixed or variable) near3 (time or period\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 09:57
L36	64	34 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:07
L37	23	35 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:01
L38	13	36 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:04
L39	2	37 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:00
L40	271921	((power near2 (stop\$3 or termin\$5 or ((tunr\$3 or switch\$3) adj (down or off)) or (down or off))) or (power\$3 adj (down or off)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:44
L41	17155	40 same (delay\$1 or ((predetermin\$3 or (pre adj determin\$3) or fixed or variable) near3 (time or period\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:19
L42	9073	40 with (delay\$1 or ((predetermin\$3 or (pre adj determin\$3) or fixed or variable) near3 (time or period\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:04

## EAST Search History

L43	2320	41 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:18
L44	827	42 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:05
L45	7	43 same robot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:05
L46	0	44 with robot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:05
L47	181	41 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:07
L48	104	42 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:07
L49	14	47 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:35
L50	4	48 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:07
L51	1028	17 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:18
L52	718	17 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:18

## EAST Search History

L53	53	51 same ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:34
L54	17	52 with ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:20
L55	2	51 same (variable near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:26
L56	2	51 same ((variable or adjustable) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:30
L57	3	51 same ((variable or adjustable or modif\$7) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:27
L58	1	52 with ((variable or adjustable or modif\$7) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:27
L59	31	(power near2 sequenc\$3) same ((variable or adjustable) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:32
L60	5	(power near2 sequenc\$3) with ((variable or adjustable) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:30
L61	3	59 same (power adj switch\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:31
L62	22	17 same ((variable or adjustable) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:32

## EAST Search History

L63	11	17 with ((variable or adjustable) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:34
L64	440	17 same ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:34
L65	234	17 with ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:34
L66	0	64 same (power adj sequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:34
L67	53	64 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:37
L68	17	65 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:35
L69	4	62.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:36
L70	2	63.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:37
L71	59	64.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:37
L72	57	65.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:37

## EAST Search History

L73	26	71 and (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:45
L74	25	72 and (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:37
L75	1951	(safe\$2 or reliabl\$1 or dependabl\$1) near6 ((power near2 (star\$3 or initiat\$3 or establish\$3 or appl\$7 or ((tunr\$3 or switch\$3) adj (up or on)) or (up or on))) or (power\$3 adj (up or on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:41
L76	0	75 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:41
L77	9652	(safe\$2 or reliabl\$1 or dependabl\$1) same ((power near2 (star\$3 or initiat\$3 or establish\$3 or appl\$7 or ((tunr\$3 or switch\$3) adj (up or on)) or (up or on))) or (power\$3 adj (up or on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:41
L78	19	77 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:42
L79	3660	(safe\$2 or reliabl\$1 or dependabl\$1) with ((power near2 (star\$3 or initiat\$3 or establish\$3 or appl\$7 or ((tunr\$3 or switch\$3) adj (up or on)) or (up or on))) or (power\$3 adj (up or on)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:41
L80	1	79 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:42
L81	12323	(safe\$2 or reliabl\$1 or dependabl\$1) same ((power near2 (stop\$3 or termin\$5 or ((tunr\$3 or switch\$3) adj (down or off)) or (down or off))) or (power\$3 adj (down or off)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:44



## EAST Search History

L82	6025	(safe\$2 or reliabl\$1 or dependabl\$1) with ((power near2 (stop\$3 or termin\$5 or ((tunr\$3 or switch\$3) adj (down or off)) or (down or off))) or (power\$3 adj (down or off)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:45
L83	56	81 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:45
L84	22	82 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:45
L85	8	83 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:45
L86	1	84 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 10:45

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	251	((data or information) near2 storage near2 librar\$3) same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:31
L2	166	((data or information) near2 storage near2 librar\$3) with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:22
L3	77	1 same ((control\$4 adj area adj network\$1) or CAN\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:23
L4	12	2 with ((control\$4 adj area adj network\$1) or CAN\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:23
L5	434	((data or information) near2 storage near2 librar\$3) same ((control\$4 adj area adj network\$1) or CAN\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:31
L6	7	((data or information) near2 storage near2 librar\$3) same (control\$4 adj area adj network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:27
L7	0	((data or information) near2 storage near2 librar\$3) same ((inter adj integrated adj circuit\$1) or IIC\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:28
L8	10313	((inter adj integrated adj circuit\$1) or IIC\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:28
L9	0	8 same ((data or information) near2 storage near2 librar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29

## EAST Search History

L10	23	8 same ((data or information) near2 storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:30
L11	4	8 with ((data or information) near2 storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
L12	0	8 same ((data or information) near3 (storage\$1 adj librar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:30
L13	296	((data or information) near3 (storage\$1 adj librar\$3)) same ((control\$4 adj area adj network\$1) or CAN\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:35
L14	162	((data or information) near3 (storage\$1 adj librar\$3)) with ((control\$4 adj area adj network\$1) or CAN\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:31
L15	57	13 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:34
L16	11	14 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:31
L17	4	((data or information) near3 (storage\$1 adj librar\$3)) same (control\$4 adj area adj network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:32
L18	0	((data or information) near3 (storage\$1 adj librar\$3)) with (control\$4 adj area adj network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:34
L19	653	8 same (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:34

## EAST Search History

L20	339	8 with (controller\$1 or microcontroller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:34
L21	8	8 with (power near2 (controller\$1 or microcontroller\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:34
L22	40	8 same (power near2 (controller\$1 or microcontroller\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:34
L26	25226	(safe\$2 or reliabl\$1 or dependabl\$1) same ((power near2 (stop\$3 or termin\$5 or ((tunr\$3 or switch\$3) adj (down or off)) or (down or off))) or (power\$3 adj (down or off)) or shutdown\$3 or (shut\$4 adj down))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:43
L27	13827	(safe\$2 or reliabl\$1 or dependabl\$1) with ((power near2 (stop\$3 or termin\$5 or ((tunr\$3 or switch\$3) adj (down or off)) or (down or off))) or (power\$3 adj (down or off)) or shutdown\$3 or (shut\$4 adj down))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:33
L28	66	26 same ((monitor\$3 or detect\$3 or check\$3 or sens\$3 or determin\$5) near6 (power adj (switch or button)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:34
L29	26	27 with ((monitor\$3 or detect\$3 or check\$3 or sens\$3 or determin\$5) near6 (power adj (switch or button)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:45
L30	7	28 same (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:34
L31	2	29 with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:34

## EAST Search History

L32	0	28 same ((data or information) near3 (storage\$1 adj librar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:35
L33	0	28 same (storage\$1 adj librar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:35
L34	0	28 same ((data or information) near2 storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:35
L35	3	28 same (delay\$1 or ((predetermin\$3 or (pre adj determin\$3) or fixed or variable) near3 (time or period\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:38
L36	1	29 with (delay\$1 or ((predetermin\$3 or (pre adj determin\$3) or fixed or variable) near3 (time or period\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:38
L37	3	28 same ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:44
L38	1	29 with ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:40
L39	32	26 and 713/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:44
L40	18	27 and 713/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:44
L41	19	39 and ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:44

## EAST Search History

L42	9	40 and ((predetermin\$3 or (pre adj determin\$3) or fixed set or (pre adj set) or preset) near3 (time or period\$1 or delay\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:44
L43	2	41 and ((monitor\$3 or detect\$3 or check\$3 or sens\$3 or determin\$5) near6 (power adj (switch or button)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:45
L47	2	"5315161".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:05
L48	2	"5530877".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:06